

CONTENTS

LUMINAIRES FOR COMPUTER WORKSTATIONS	02
ERGONOMIC TASK LIGHTS	03
EUROPEAN LIGHTING STANDARD	04-05
TASK LIGHTS	06-33
>> Air	06-07
>> Calypso	08-09
>> Movero	10-11
>> Vision	12-13
>> Mirage	14-15
>> Arketto	16-17
>> Heron	18-19
>> Rabbit	20-21
>> Wing	22-23
>> Falcon	24-25
>> L-1	26-27
>> L-1P	28-29
>> Viviana	30-31
>> T-88	32-33
COPYHOLDERS	34-35
FLOOR LUMINAIRES	36-39
>> Free	36-37
>> Silvy	38-39



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103000
info@crealux.se | www.crealux.se

LUMINAIRES FOR COMPUTER WORKSTATIONS


Workstation lighting is much more important than most people imagine. Our working environment, work performance and well-being are much affected by it. The personal task luminaire is one of the most important factors for achieving a good working environment.

Lighting requirements vary depending on the users age and the task being undertaken. Individually adjustable ergonomic desk lights give complete flexibility and enable each operator to have complete control of their work space.

A whole range of unwanted aches and pains, headaches, neck and back ailments and eyestrain can be attributed to poor lighting. This is because the body compensates for poor lighting: We adopt unhealthy postures in order to see well.

When fitting out or refurbishing your workplace it is essential to provide adequate light from an adaptable and easily adjusted source,

The best solution for achieving optimal workspace lighting is a Luxo task light. For 70 years, Luxo has focused on people and their tasks, creating lighting tailored to the needs of the individual and their working preferences. Today, Luxo is recognized as the leader in ergonomic task lighting.



Ergonomically designed desk lights are fitted with asymmetric reflectors to distribute light evenly across the working area. Importantly they prevent reflection and will not cause any discomfort to colleagues. The even light distribution eases the transition between light and dark areas on the working surface and allows your eyes to work in a constant, comfortable light.



An individual ergonomic task light ensures optimal computer workstation lighting. The illustration shows clearly an important advantage with ergonomic light, the fact that the luminaire is placed at the side of your desk and not directly in front of you.




Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se

ERGONOMIC TASK LIGHTS FROM LUXO

- >> are developed specifically for computer workstations
- >> ensure an even and constant light distribution
- >> minimise the risk of reflections and glare in the computer screen and work surface
- >> light up large work surfaces
- >> are quick and easy to adjust, with Luxo spring-balanced, parallel-motion arm guaranteeing flexibility and stability
- >> reduce the risk of unnecessary aches and pains
- >> can be mounted in numerous ways
- >> meeting international guidelines for 500 lux on the main work surface



The horizontal axis shows how the light from an ergonomic task light is distributed evenly over the work surface (measured in mm). The vertical axis shows the intensity of the task light (measured in lux)




The amount of light you need changes with age. A 60-year-old requires 5-6 times as much light as a 20-year-old.



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se

“It is a misconception that office lighting is about creating a uniform light level across the whole space.”

PAUL RUFFLES, AUTHOR OF THE NEW OFFICE LIGHTING GUIDE IN UK.



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se

EUROPEAN LIGHTING STANDARD

In 2002 the new European standard for lighting was launched and which replaced the 1993 version. The new standard looks closely at the various aspects of modern office lighting. One of the major conclusions to be drawn from this document is that individual adjustable desk lighting is one of the most satisfactory and prudent methods of providing light on the task area.



Many of the conclusions reached confirm that individually controlled ergonomic desk lights not only provide energy saving solutions but also offer the best results when seeking to enhance a feeling of well being by providing flexibility and individual control.

Task lighting is used to provide the selected task illuminance. This allows generally low lighting level to be provided across a large space with only the used task areas used lit to the higher task illuminance. This can be a very energy efficient way of lighting a space.

In areas where there are tasks being carried out with varying task lighting levels or where there are users with varying lighting needs, it is normally more efficient to use general background lighting that uses the minimum required illuminance and have task lighting or localised lighting available to boost the lighting levels. Task lighting under the control of users also improves the users' sense of being in control of their work environment.



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se

The right light

LUXO

8130-8131 Air

DESIGN: JUKKA SETÄLÄ

AIR – a task light for the modern office. The ergonomic reflector ensures uniform and glare-free illumination across a large work surface. The spring-balanced arm (600 mm or 900 mm) ensures that Air is easily adjustable and the head always remains parallel to the work surface. Choose the Air variant that suits your working desk size.

Available in black and aluminium grey. Air is double insulated.



Award for Design Excellence

Awarded by the Norwegian Design Council



Box 70396 | 10724 STOCKHOLM | SWEDEN

Klarabergsviadukten 70

Tel +46 (0)8-103070 | Fax +46 (0)8-103060

info@crealux.se | www.crealux.se




TECHNICAL INFORMATION 8130-8131 AIR

Light source: 35W/12V halogen lamp

Arm length: 600 / 900 mm

Available with table base or table bracket

Colours:




AIR WITH BRACKET	COLOUR	LIGHT SOURCE	WATT
8130-135-11	Black	HSGS	1x35
8130-135-12	Aluminium grey	HSGS	1x35

AIR 600 WITH BRACKET	COLOUR	LIGHT SOURCE	WATT
8131-135-11	Black	HSGS	1x35
8131-135-12	Aluminium grey	HSGS	1x35

AIR WITH BASE	COLOUR	LIGHT SOURCE	WATT
8130-135-1	Black	HSGS	1x35
8130-135-2	Aluminium grey	HSGS	1x35

AIR 600 WITH BASE	COLOUR	LIGHT SOURCE	WATT
8131-135-1	Black	HSGS	1x35
8131-135-2	Aluminium grey	HSGS	1x35

LIGHT SOURCE	POWER	ILCOS	SOCKET
Halogen lamp 12V	35W	HSGS	GY 6.35



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70

Tel +46 (0)8-1030070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se

8115-8116 Calypso

DESIGN: OS 2 INDUSTRIAL DESIGN, KATHINKA ØYSTE & EVEN WØLLO

Calypso – an ergonomic task light ideally suited to the modern workplace. As with all Luxo spring balanced task lights Calypso is easy to adjust and the head will always remain parallel to the work surface. Calypso is perfect for small to medium sized work stations. Calypso may be fitted with a louvre to help overcome the problems of glare from unshielded light sources when height adjustable desks are in use in open plan offices. Supplied with HF ballast to eliminate flicker.



Box 70390 | 16724 STOCKHOLM | SWEDEN

Norrmbergsviadukten 70

Tel +46 (0)8-103070 | Fax +46 (0)8-103060

info@crealux.se | www.crealux.se




TECHNICAL INFORMATION 8115-8116 CALYPSO

Light source: 13W compact fluorescent lamp
 Arm length: 660 mm
 Accessories: table base.
 Supplied with table bracket.

The Bravo pendant and wall luminaires are from the same product family.

Colours:



CALYPSO	COLOUR	LIGHT SOURCE	WATT
8115-113-1	Light grey	FSQ-13-E	1x13
8115-113-3	Black	FSQ-13-E	1x13
8115-113-4	Black/aluminium grey	FSQ-13-E	1x13
8115-113-5	White	FSQ-13-E	1x13

CALYPSO WITH LOUVER	COLOUR	LIGHT SOURCE	WATT
8116-113-1	Light grey	FSQ-13 E	1X13
8116-113-3	Black	FSQ-13-E	1x13
8116-113-4	Black/aluminium grey	FSQ-13-E	1x13
8116-113-5	White	FSQ-13-E	1x13

ACCESSORIES:


Table base	Colour
8990-006-1	Light grey
8990-006-3	Black
8990-006-5	White

LIGHT SOURCE	POWER	ILCOS
Compact fluorescent	13W	FSQ-13-E



Box 70396 | 10724 STOCKHOLM | SWEDEN
 Klarabergsviadukten 70

Tel +46 (0)8-1030070 | Fax +46 (0)8-1030060
 info@crealux.se | www.crealux.se



8180-8181 Movero

DESIGN: PROPELLER

MOVERO - uses the latest technology in ergonomic task lighting. The innovative design, the effective light, the advanced arm design and a choice of louvre make the task light suitable for a variety of working environments. Open plan offices with desks that can be regulated to standing height place heavy demands on the lighting as glare from unshielded light sources, task lights, can be disturbing. Movero's adjustable louvre eliminates the discomfort of glare. The version with a transparent louvre increases light output and is suited to any other office space. Supplied with HF ballast to eliminate flicker.




Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se




TECHNICAL INFORMATION 8180-8181 MOVERO

Light source: 18W compact fluorescent lamp
 Arm length: 660 mm
 Accessories: table base.
 Supplied with table bracket.


Colours :



Movero



Movero transparent



MOVERO	COLOUR	LIGHT SOURCE	WATT
8180-118-1	Zenith white	FSQ-18-E	1x18
8180-118-2	Anthracite black	FSQ-18-E	1x18
8180-118-3	Magnesium grey	FSQ-18-E	1x18
MOVERO TRANSPARENT	COLOUR	LIGHT SOURCE	WATT
8181-118-1	Zenith white	FSQ-18-E	1x18
8181-118-2	Anthracite black	FSQ-18-E	1x18
8181-118-3	Magnesium grey	FSQ-18-E	1x18

ACCESSORIES:

Table base	Colour
8990-002-1	Zenith white
8990-002-2	Anthracite black
8990-002-3	Magnesium grey

LIGHT SOURCE	POWER	ILCOS	SOCKET
Compact fluorescent	18W	FSQ-18-E	G24q-2



Box 70396 | 10724 STOCKHOLM | SWEDEN
 Klarabergsviadukten 70

Tel +46 (0)8-11030070 | Fax +46 (0)8-11030060
 info@crealux.se | www.crealux.se

8118 Vision

DESIGN: JOHN HOUGHTON

Vision – ergonomic task light with an excellent light distribution that makes it the ideal choice for larger work areas. Supplied with HF ballast to eliminate flicker. As with all Luxo spring balanced task lights Vision is easy to adjust and the head will always remain parallel to the work surface.

 Award for Design Excellence
Awarded by the Norwegian Design Council



 **CREALUX**


Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel: +46 (0)8-103070 | Fax: +46 (0)8-103060
info@crealux.se | www.crealux.se




TECHNICAL INFORMATION 8118VISION

Light source: 18W compact fluorescent lamp
 Arm length: 800 mm
 Accessories: table base
 Supplied with table bracket.

Colours:



VISION	COLOUR	LIGHT SOURCE	WATT
8118-118-1	White	FSQ-18-E	1x18
8118-118-2	Black	FSQ-18-E	1x18
8118-118-3	Light grey	FSQ-18-E	1x18



ACCESSORIES:

Table base	Colour
8990-004-1	White
8990-004-2	Black
8990-004-3	Light grey

LIGHT SOURCE	POWER	ILCOS
Compact fluorescent	18W	FSQ-18-E



Box 70396 | 10724 STOCKHOLM | SWEDEN
 Klarabergsviadukten 70

Tel +46 (0)8-1030070 | Fax +46 (0)8-103060
 info@crealux.se | www.crealux.se

8140 Mirage

DESIGN: HEGE THERESE RAAE

Mirage - an ergonomic task light suitable for large work surfaces and tasks that require plenty of light. Of all the desk luminaries in our range, Mirage has the greatest light output and is supplied with a HF ballast to eliminate flicker. It is also available with a dimming option making it the ideal choice for large light demanding work spaces or areas such as control centres where an adjustable light level may be required. With all Luxo spring balanced task lights Mirage is easy to adjust and the head will always remain parallel to the work surface. The Mirage design strongly emphasises functionality, reliability and simplicity.



Box 10396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se



TECHNICAL INFORMATION 8140 MIRAGE

Light source: 26W compact fluorescent lamp
 Arm length: 800 mm
 Accessories: table base
 Supplied with ballast box table bracket.

Colours:



MIRAGE E	COLOUR	LIGHT SOURCE	WATT
8140-126-1	White	FSQ-26-E	1x26
8140-126-2	Black	FSQ-26-E	1x26
8140-126-3	Light grey	FSQ-26-E	1x26
8140-126-5	Black/aluminium grey	FSQ-26-E	1x26

MIRAGE SED	COLOUR	LIGHT SOURCE	WATT
8140-126-31	White	FSQ-26-E	1x26
8140-126-32	Black	FSQ-26-E	1x26
8140-126-33	Light grey	FSQ-26-E	1x26
8140-126-35	Black/aluminium grey	FSQ-26-E	1x26



ACCESSORIES.

Table base	Colour
8990-007-1	White
8990-007-2	Black
8990-007-3	Light grey
8990-007-5	Black/aluminium grey

LIGHT SOURCE	POWER	ILCOS
Compact fluor.	26W	FSQ-26-E



Box 70396 | 10724 STOCKHOLM | SWEDEN
 SOCKET Klarabergsgatan 70 LUM
 G24q-3 Tel +46 (0)8-103070 | Fax +46 (0)8-103060
 info@crealux.se | www.crealux.se



8169 Arketto

DESIGN: YAACOV KAUFMAN

Arketto – a very elegant innovatively designed ergonomic task light with an extremely flexible and imaginative textile covered arm. Arketto gives good light output, is very versatile and is ideally suited to the office or for domestic use. Extravagant looks and superb light distribution have earned Arketto a place in The Chicago Athenaeum's permanent design collection.

Arketto was assigned to the Award for Design Excellence and nominated to the prize of Honours of the Norwegian Design Council in 2003. The Arketto series include a desk model, a wall model and a floor model.



Award for Design Excellence
Awarded by the Norwegian Design Council



Nominated for:
Honours Award for Design Excellence
Awarded by the Norwegian Design Council



Box 70396 | 107 24 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se



TECHNICAL INFORMATION 8169 ARKETTO

Light source: 40W halogen lamp
 Arm length: desk and floor model max 950 mm, wall model max 350 mm
 Accessories: table base and floor stand in aluminium grey or black
 Supplied with table bracket.

Standard Colours:



Limited edition colours:



ARKETTO	COLOUR	LIGHT SOURCE	WATT
8169-140-1	Aluminium grey/grey	HSGST	1x40
8169-140-2	Aluminium grey/black	HSGST	1x40
8169-140-3	Aluminium grey/red	HSGST	1x40
8169-140-4	Aluminium grey/blue	HSGST	1x40
8169-140-5	Black/Black	HSGST	1x40

ARKETTO WALL	COLOUR	LIGHT SOURCE	WATT
8170-140-1	Aluminium grey/grey	HSGST	1x40

ACCESSORIES


Table base	Colour
8990-502-1	Aluminium grey
8990-502-2	Black
Floor stand, 900 mm	Colour
8990-500-12	Black
8990-500-13	Aluminium grey

LIGHT SOURCE	POWER	ILCOS
Halogen lamp	40W	HSGST



Box 70396 | 10724 STOCKHOLM | SWEDEN
 Klarabergsviadukten 70

Tel +46 (0)8-1030070 | Fax +46 (0)8-1030060
 info@crealux.se | www.crealux.se




8120 Heron

DESIGN: ISAO HOSOE

Heron – ergonomic halogen task light in cutting-edge design. Extravagant looks and superb light distribution have earned Heron a place in The Chicago Athenaeum's permanent design collection. Heron comes with built-in two-level switch and micro wheel in the base, making it so easy to move about.

In 2005 Heron was assigned the Classic Award of Design Excellence by the Norwegian Design Council.



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se



TECHNICAL INFORMATION 8120 HERON



Light source: 50W/12V halogen lamp

Arm length: 610 mm

Standard Colours:



Limited edition colours:



LUMINAIRE WITH BASE	COLOUR	LIGHT SOURCE	WATT
8120-150-1	White	HSGS	1x50
8120-150-2	Black	HSGS	1x50
8120-150-4	Silver metallic	HSGS	1x50
8120-150-10	Graffiti grey	HSGS	1x50
8120-150-11	Graffiti blue	HSGS	1x50
8120-150-12	Yellow green	HSGS	1x50
8120-150-13	Creame	HSGS	1x50
8120-150-14	Raspberry	HSGS	1x50

LIGHT SOURCE

Halogen lamp

POWER

50W

ILCOS

HSG

SOCKET

GY 6.35



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70

Tel +46 (0)8-1030070 | Fax +46 (0)8-1030060
info@crealux.se | www.crealux.se

8119 Rabbit

DESIGN: ISAO HOSOE

Rabbit – ergonomic halogen task light with a fixed arm and with an integral base, it is ideal for work areas with limited space. Rabbit is stylish, takes up very little desk space and provides good light output. Available with optional dimmer on the cable.



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se






TECHNICAL INFORMATION 8119 RABBIT

Light source: 40W halogen lamp.

Arm length: 409 mm

Colours:



RABBIT WITH BASE	COLOUR	LIGHT SOURCE
8119-140-1	Black	HSGST
8119-140-2	Aluminium grey	HSGST
8119-140-3	Aluminium grey/transparent	HSGST

LIGHT SOURCE	POWER	ILCOS
Halogen lamp	40W	HSGST

WATT



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70

Tel +46 (0)8-1030070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se

SOCKET
G9

WATT
40

LMEN
490

8150 Wing

DESIGN: DESIGNWORKS, USA

Wing - a compact, ergonomic task light with extreme flexibility. Wing was developed for use in work areas with limited space such as receptions and call centres. The versatile luminaire can be adjusted horizontally and vertically. For additional flexibility, table base, wall clamp and magnet clamps are available. Supplied with HF ballast to eliminate flicker.





TECHNICAL INFORMATION 8150 WING





Light source: 9W compact fluorescent lamp

Arm length: 540 mm (table base)

280 mm (magnet fitting)

445 mm (wall fitting)

Colour:



WING WITH BASE

8150-109-1

COLOUR

Black

LIGHT SOURCE

FSD-9E

WATT

1x9

WING WITH WALL BRACKET

8150-109-21

COLOUR

Black

LIGHT SOURCE

FSD-9E

WATT

1x9

WING WITH MAGNET BRACKET

8150-109-31

COLOUR

Black

LIGHT SOURCE

FSD-9E

LIGHT SOURCE

Compact fluorescent

POWER

9W

ILCOS

FSD-9-E

SOCKET

2G7



Box 70396 | 10724 STOCKHOLM | SWEDEN

Klarabergsviadukten 70

Tel +46 (0)8-103060 | Fax +46 (0)8-103060

info@crealux.se | www.crealux.se

8143 Falcon II

DESIGN: JOHN HOUGHTON

Falcon II - is a small, flexible ergonomic halogen task light. The shade and arm can be adjusted 180° horizontally and between 15 and 44 cm vertically. A two-level switch is built into the table base. Its simple, elegant design, good light output and minimal space requirements make Falcon II ideal for most offices.



CREALUX



Box 70395 | 171 24 STOCKHOLM | SWEDEN
Klarabergsvärdagen 70
Tel +46 (0)8-103060 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se



TECHNICAL INFORMATION 8143 FALCON II

Light source: 50W/12V halogen lamp
Arm length: 500 mm

Colours:



FALCON	COLOUR	LIGHT SOURCE	V
8143-150-1	White	HSGS	
8143-150-2	Black	HSGS	
LIGHT SOURCE	POWER	ILCOS	SOCKET
Halogen lamp 12V	50W	HSGS	GY 6.35



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-1030070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se

8155 L-1

DESIGN: JAC JACOBSEN, LUXO

L-1 - The world's original architect's lamp designed in 1937 by Luxo. Unique design, ingenious lighting properties and a flexible spring balanced arm have earned L-1 a place among the world's all time classics. L-1 is a prime example of how versatility, quality and stylish design produce a popular classic. Since its creation, 25 million L-1 luminaires have been sold worldwide. L-1 has been distinguished by most of the prestigious awards in the world of industrial design.



**Classic Award for
Design Excellence**
Awarded by the
Norwegian Design Council



Award for Design Excellence
Awarded by the Norwegian Design Council



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsvädukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se





TECHNICAL INFORMATION 8155 L-1

Light source: Max. 60W incandescent bulb.
(May also be used with an energy saving compact fluorescent lamp).

Arm length: 1040 mm

Accessories: table base

Supplied with table bracket.

Luna wall luminaire is from the same product family.

Colours:



New also as floor variant.



The Great 1

Delivery by special request.

Arm, shade and base cover in aluminium.

Base disc and counterweights in steel.

Wired for E27 lamps, incandescent or halogen (max 250 W) or HF fluorescent compact.

Different light source solutions to order on special request.

Length: 3854 mm

Colours:



L-1	COLOUR	LIGHT SOURCE	WATT
8155-160-1	White	IAA	1x60
8155-160-2	Black	IAA	1x60
8155-160-3	Aluminium grey	IAA	1x60
8155-160-5	Chrome	IAA	1x60

THE GREAT 1	COLOUR
8154-250-1	White
8154-250-2	Black
8154-250-3	Aluminium grey

ACCESSORIES:

Table base	Colour
8990-500-1	White
8990-500-2	Black
8990-500-3	Aluminium grey
8990-500-5	Chrome


Floor stand, 900mm:	Colour
8990-500-11	White
8990-500-12	Black
8990-500-13	Aluminium grey
8990-500-15	Chrome

LIGHT SOURCE (L-1)	POWER	ILCOS	SOCKET
GLS lamp	60W	IAA	E27



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70

Tel +46 (0)8-1030070 | Fax +46 (0)8-1030060
info@crealux.se | www.crealux.se



8157 L-1P

DESIGN: LUXO

L1-P – a functional and durable task light which provides a lot of light over a large area. Ideally suited to the hobbyist or the professional user and equally at home in the studio or on the production line. L-1P may be fitted with a daylight lamp if required. The on off switch is conveniently located in the shade.




Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se



TECHNICAL INFORMATION 8157 L-1P

Light source: Max. 75W incandescent bulb
 Arm length: 1040 mm
 Accessories: table base.
 Supplied with table bracket.

Colours:



L-1P	COLOUR	LIGHT SOURCE	WATT
8157-175-1	White	IAA	1x75
8157-175-2	Black	IAA	1x75

ACCESSORIES:

Tablebase	Colour
8990-500-1	White
8990-500-2	Black
Floorbase	Colour
8990-500-11	White
8990-500-12	Black

LIGHT SOURCE	POWER	ILCOS	SOCKET
GLS lamp	75W	IAA	E27



Box 70396 | 10724 STOCKHOLM | SWEDEN
 Klarabergsviadukten 70

Tel +46 (0)8-1030070 | Fax +46 (0)8-1030060
 info@crealux.se | www.crealux.se

8165-8168 Viviana

DESIGN: YAACOV KAUFMAN

Viviana - was created on the basis of the classic functional properties of the world's original architect lamp, L-1 from Luxo. Its exclusive design and flexible lightweight arm technology are complemented by the aesthetic shade. Incandescent and energy-saving lamps can be used in all Viviana versions. The Viviana product family consists of table, wall and floor standing models.



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se



TECHNICAL INFORMATION 8165-8168 VIVIANA


Light source: Max 60W incandescent bulb (May also be used with a round energy saving compact fluorescent E 27 lamp)

Arm length: 900 mm (table model)
115 mm (wall model) (vertically or horizontally adjustable)
1573 mm (floor model)

Accessories: table base in aluminium grey

Supplied with table bracket (not floor or wall versions)

Colours:



VIVIANA	COLOUR	LIGHT SOURCE	WATT
8165-160-1	Aluminum grey	IAA	1x60/1x10
8165-160-3	Aluminium grey/glass	IAA	1x60/1x10

VIVIANA FLOOR WITH BASE	COLOUR	LIGHT SOURCE	WATT
8167-160-1	Aluminum grey	IAA	1x60/1x10

VIVIANA WALL	COLOUR	LIGHT SOURCE	WATT
8168-160-1	Aluminum grey	IAA	1x60/1x10

ACCESSORIES

Table base	Colour
8990-501-1	Aluminium grey

LIGHT SOURCE	POWER	ILCOS	SOCKET	LUM
GLS lamp	60W	IAA	E27	2800 lumen
Fluorescent	10W	FBA	E27	800 lumen



Box 70396 | 10724 STOCKHOLM | SWEDEN

Klarabergsvägen 70

Tel +46 (0)8-103070 | Fax +46 (0)8-103060

info@crealux.se | www.crealux.se

8162 T-88

DESIGN: ISAO HOSOE

T-88 – A versatile and flexible task light. The shade can be adjusted and set to almost any position and similar to many other Luxo task lights the spring balanced arm will always hold the shade in a horizontal position.



Box 70396 | 10724 STOCKHOLM | SWEDEN

Klarabergsviadukten 7

Tel +46 (0)8-103070 | Fax +46 (0)8-103060

info@crealux.se | www.crealux.se



TECHNICAL INFORMATION 8162 T-88

Light source: 11W compact fluorescent lamp
 Arm length: 830 mm
 Accessories: table base.
 Supplied with table bracket.

Colours:



T88	COLOUR	LIGHT SOURCE	WATT
8162-111-1	White	FSD	1x11
8162-111-2	Black	FSD	1x11

ACCESSORIES


Table base	Colour
8990-503-1	White
8990-503-2	Black

LIGHT SOURCE	POWER	ILCOS	SOCKET
Compact fluorescent	11W	FSD	G23



Box 70396 | 10724 STOCKHOLM | SWEDEN
 Klarabergsviadukten 70

Tel +46 (0)8-1030070 | Fax +46 (0)8-103060
 info@crealux.se | www.crealux.se



8980 Copyholders

DESIGN: LUXO

In addition to the individual task light, the copyholder completes a well organised and ergonomically correct workspace. People using a computer in their day-to-day work will discover that a Luxo copyholder improves their working posture – the horizontal movements of head and neck are reduced considerably. Such movements often cause inconvenience and nuisance. Place the copyholder between keyboard and screen or as close to the screen as possible – for example by using the copyholder arm.

Placing your document in the optimal position will encourage the best ergonomic posture. Luxo's range of copyholders is made from ABS plastic for high durability and supreme product quality.



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se

MH 900



MH 901



MH 807



MH 801



MH 805



COMPUTER MODELS MH 900/MH 901.

Copyholders placed between screen and keyboard.

8980-900-1MH 900: Plate dimensions 260 x 400 mm, load capacity 1800 g

8980-901-1MH 901: Plate dimensions: 310 x 400 mm, load capacity: 1800 g

TABLE MODEL MH 807

8980-807-1MH 807 Desktop copyholder: Plate dimensions: 300 x 255 mm

ARM MODELS MH 801/MH 805

Copyholders with parallel, spring balanced arms for desk mounting.

8980-801-1MH 801: Plate dimensions: 300 x 255 mm, load capacity: 300 g, arm length: 900 mm

8980-805-1MH 805: Plate dimensions: 300 x 255 mm, load capacity: 950 g, arm length: 900 mm



Box 70396 | 10724 STOCKHOLM | SWEDEN

Klarabergsviadukten 70

Tel. +46 (0)8-103070 | Fax +46 (0)8-103060

info@crealux.se | www.crealux.se

7352-7353 Free

DESIGN: ARK. MSA BJÖRN SIESJÖ, KANOZI ARKITEKTER

FREE floor is a fashionable freestanding luminaire. It combines contemporary screenprinted glass with extruded cast aluminium. FREE gives a highly flexible solution for today's ever changing office environment. The series includes a wall luminaire.



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se








TECHNICAL INFORMATION 7352-7353 FREE

Free floor combines direct and indirect light via it's exclusive screenprinted plain or prismatic glass and Miro 5 reflector system. Free is supplied with high frequency control gear as standard to operate 55 watt compact fluorescent lamps. Dimming and daylight and presence detection options are offered.

A double switch variant is available if you prefer to be able to turn on either the inner, the outer or all four lamps.

The Free standing option incorporates a wire management system which allows excess mains cable to be stored under the base.



ARTICLE NUMBER	ALTERNATIVES	LIGHT SOURCE	SOCKET	WATT	KG
----------------	--------------	--------------	--------	------	----

FREE FLOOR PLAIN GLASS (SCREENPRINTED IN BLACK AS STANDARD)

7352-255-grey	DEI	FSDH	2G11	2x55	16,5
7352-455-grey	DEI	FSDH	2G11	4x55	17

FREE FLOOR PRISMATIC GLASS (SCREENPRINTED IN GREY AS STANDARD)

7353-255-grey	DEI	FSDH	2G11	2x55	16,5
7353-455-grey	DEI	FSDH	2G11	4x55	17

ACCESSORIES	DESIGNATION
-------------	-------------

HF dimmable ballast	-DEI
Presence/daylight sensor on/off	-SMS
Presence/daylight sensor dim	-SMD
Double Switch (Only 4x55W)	-DSW



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se

3562-3563 Silvy

DESIGN: R. LANCIANI - LUXO

SILVY consists of wall, pendant and floor luminaires with a characteristic shape. The luminaire heads come in two different sizes. The series includes a pendant and a wall luminaire.





Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70
Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se



TECHNICAL INFORMATION 3562-3563 SILVY

The head of the various luminaires is formed by an external, partly microperforated, steel sheet reflector body with end caps in polycarbonate. The luminaire comes in metallic grey finish. Supplied as standard with HF ballast. Also available as HF dimmable.



ARTICLE NUMBER	ALTERNATIVES	LIGHT SOURCE	SOCKET	WATT	L
3562-436	DA, DALI, DEI, DEE	FSD-36-E	2G11	4x36	470
3562-455	DA, DALI, DEI, DEE	FSDH	2G11		

SILVY ADJUSTABLE

3563-436	DA, DALI, DEI, DEE	FSD-36-E	2G11		
3563-455	DA, DALI, DEI, DEE	FSDH	2G11		

ACCESSORIES & ALTERNATIVES	DESIGNATION
HF dimmable	-DA, -DALI, -DEI, -DEE



Box 70396 | 10724 STOCKHOLM | SWEDEN
Klarabergsviadukten 70

Tel +46 (0)8-103070 | Fax +46 (0)8-103060
info@crealux.se | www.crealux.se